COSHH Risk Assessment Begum Business Service Ltd



Activity - What task is being undertaken?		Location — Where is the task being undertaken?		
General Cleaning of Chrome taps		For hard floor surfaces ,to Remove Grim dirt oil		
Persons — Who is at risk?		Exposure — How might they be exposed?		
Cleaning Operative and others accessing work area during task Area Conned off		Absorption / Ingestion/ Eyes splash		
Frequency - How often?	Amount - How much?		Duration - How long?	
Daily	Spray for 1 seconds		5 mins	

Hazard Symbols — As displayed on product labels under the GHS/CLP regulations								
	(N)	③	\Diamond			(③	\Partial
Explosive	Flammable	Oxidising	Compressed Gas	Corrosive	Toxic	Irritant	Health Hazard	Environmental
L		Ш	Ш	Ш	<u> </u>		<u>. </u>	Ц
Risks — How can it harm those exposed? See 'hazard statements' on the safety data sheet.								
If swallowed, may cause irritation to the mouth and upper digestive tract. If exposure to skin is prolonged or repeated, may cause skin irritation. May cause significant eye irritation								
Exposure Limits — See the safety data sheet and HSE EH40						⊠ No		
Control Measures								
Is it practical to Eliminate or Substitute for a safer alternative? ☐ Yes ☒ No					⊠ No			
Physical Controls — e.g. Local Exhaust Ventilation								
Stored on van placed into a Spray bottle for safe control measure								

COSHH Risk Assessment Begum Business Service Ltd

Procedural Controls — e.g. Safe System of Work

- Closed to users and 'cleaning in progress' signage displayed
- Do not leave product unattended
- Secure container/cap when not in use,
- Do not mix with other substances / products
- Avoid ingestion and contact with eyes or skin

PPE	Type / Standard	PPE	Type / Standard
Eye / Face	Wear safety glasses when there is a risk of splashes	Gloves	Wear disposable impermeable gloves at all times
Respiratory		Clothing	

Monitoring Required

Skin checks for signs of sensitisation (dermatitis)

Storage	Waste
Keep locked in designated cleaners cupboard Or Van Do not leave unattended -	Do Contaminate Water Sewage -

Emergency Arrangements				
Skin Contact	Inhalation	Spills		
Wash thoroughly with soap and water, seek medical advice if skin appears damaged or any discomfort continues	Expose to fresh air, seek medical advice if breathing becomes difficult or any discomfort continues	Contain and absorb the spill with rags or absorbent granules, clean area with plenty of clean water, allow to dry		
Eye Contact	Ingestion	Fire		
Wash eye immediately with plenty of clean water for at least 15 minutes, holding eye open. Seek medical advice if eye appears damaged or if any discomfort continues	Rinse mouth with plenty of clean water, do not induce vomiting. Drink plenty of clean water and seek medical advice as soon as possible	This product is not considered to be flammable, Use appropriate fire extinguishing media for surrounding materials		

COSHH Risk Assessment Begum Business Service Ltd

Residual Risk	Assessment By		
Low - Acceptable. Ensure users are trained/competent. Supervisor to monitor for compliance to controls.		Name	Alan smith]
Medium - Tolerable. Seek to improve at the next review. Enhance supervision and monitoring.		Date	1/03/2025
High - Unacceptable. Cease task and find an alternative substance or method then reassess.		Review	1/03/2026